# $\epsilon$

## **DECLARATION OF PERFORMANCE**



as per Regulation (EC) 305/2011

#### Clou Xtra

 1. LEK no.
 KO 0035

 2. Model
 Stove

3. Intended use Space heating in residential buildings

**4. Manufacturer**Austroflamm GmbH
Austroflamm-Platz 1

A-4631 Krenglbach

5. Representative

**6. System(s) for assessing and verifying the** 3 constancy of performance of the construction product

Notified Body/ name of test laboratory	RRF
Test laboratory identification number/test report number	1625 / RRF - 40 16 4361
Harmonized technical specification	EN 16510-2-1:2022
Fire safety	fulfilled
Reaction to fire	A1 as per EN 13501-1
Minimum distance to combustible materials - distance to rear dR [mm]	200
Minimum distance to combustible materials - left side dS_1 [mm]	420
Minimum distance to combustible materials - right side dS_2 [mm]	420
Minimum distance to combustible materials - distance to ceiling dC [mm]	750
Minimum distance to adjacent combustible materials (e.g. furniture) dP [mm]	1100
Minimum distance to combustible materials - bottom dB [mm]	0
Fire hazard through burning firewood falling out of the stove	fulfilled
Cleanability	fulfilled
Emission of combustion products	fulfilled
Emission (CO) of combustion products at nominal heat output [%]	0.07
Emission (CO) of combustion products at reduced heat output [%]	-
Flue gas temperature in the measuring section at nominal heat output [°C]	298
Flue gas temperature at the nozzle at nominal heat output [°C]	357
Surface temperature	fulfilled
Electrical safety	-
Release of hazardous substances	NPD
Maximum operating pressure [bar]	-
Maximum operating pressure option	not relevant
Mechanical strength (for supporting a chimney)	NPD
Heat output / energy efficiency	fulfilled
Nominal heat efficiency [kW]	8.0



### **DECLARATION OF PERFORMANCE**

as per Regulation (EC) 305/2011



#### Clou Xtra

 1. LEK no.
 KO 0035

 2. Model
 Stove

**3. Intended use** Space heating in residential buildings

4. Manufacturer

Austroflamm GmbH

Austroflamm-Platz 1

A-4631 Krenglbach

5. Representative

6. System(s) for assessing and verifying the 3 constancy of performance of the construction product

Nominal room heat output [kW]	8.0
Nominal water heat output [kW]	-
Efficiency at nominal heat output [%]	80.0

The performance of the aforementioned product corresponds to the declared performance(s). The above-mentioned manufacturer is solely responsible for the preparation of this declaration of performance in accordance with Regulation (EU) No. 305/2011.

Krenglbach, 26/09/2025

Andreas Schönfeld Managing Director